

(E)-6,8-Dichloro-3-[(naphthalen-1-yl-methyl)iminiumyl]methyl]-2H-chromen-4-olate

Yoshinobu Ishikawa* and Yuya Motohashi

School of Pharmaceutical Sciences, University of Shizuoka, 52-1 Yada, Suruga-ku, Shizuoka 422-8526, Japan
Correspondence e-mail: ishi206@u-shizuoka-ken.ac.jp


Received 20 June 2013; accepted 1 July 2013

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.033; wR factor = 0.083; data-to-parameter ratio = 16.5.

In the title compound, $\text{C}_{21}\text{H}_{15}\text{Cl}_2\text{NO}_2$, the H atom of the $-\text{OH}$ group is transferred to the N atom of the imine, forming a zwitterion. Thus, there is formation of a six-membered ring *via* an intramolecular $\text{O}\cdots\text{H}-\text{N}$, rather than $\text{O}-\text{H}\cdots\text{N}$, hydrogen bond in the molecule. The dihedral angle between the naphthalene ring system and the benzene ring of the 2*H*-chromen system is 87.41 (4)°. In the crystal, the molecules are packed through $\text{N}-\text{H}\cdots\text{O}$, $\pi-\pi$ [centroid–centroid distances = 3.744 (3) and 3.780 (3) Å], $\text{C}-\text{Cl}\cdots\pi$ [$\text{Cl}\cdots\text{centroid} = 3.261$ (3) Å], $\text{C}-\text{H}\cdots\pi$ and $\text{C}-\text{H}\cdots\text{O}$ interactions.

Related literature

For the biological properties of similar structures, see: Khan *et al.* (2009); Tu *et al.* (2013). For related structures, see: Benaouida *et al.* (2013); Małecka & Budzisz (2006).



Experimental

Crystal data

$\text{C}_{21}\text{H}_{15}\text{Cl}_2\text{NO}_2$
 $M_r = 384.26$

Monoclinic, $P2_1/c$
 $a = 16.286$ (7) Å

$b = 8.910$ (6) Å
 $c = 12.008$ (9) Å
 $\beta = 102.65$ (4)°
 $V = 1700.2$ (19) Å³
 $Z = 4$

Mo $K\alpha$ radiation
 $\mu = 0.40$ mm⁻¹
 $T = 100$ K
 $0.37 \times 0.37 \times 0.28$ mm

Data collection

Rigaku AFC7R diffractometer
4657 measured reflections
3875 independent reflections
3367 reflections with $F^2 > 2.0\sigma(F^2)$

$R_{\text{int}} = 0.083$
3 standard reflections every 150
reflections
intensity decay: -0.4%

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.033$
 $wR(F^2) = 0.083$
 $S = 1.04$
3875 reflections

235 parameters
H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.49$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.53$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$Cg2$ is the centroid of the C4–C9 ring.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N1–H6···O2	0.88	2.18	2.794 (2)	126
N1–H6···O2 ⁱ	0.88	2.54	3.306 (3)	146
Cl–H2A···O2 ⁱⁱ	0.99	2.52	3.472 (3)	160
C15–H11···Cg2 ⁱⁱⁱ	0.95	2.77	3.682 (3)	160

Symmetry codes: (i) $-x + 1, -y + 1, -z + 1$; (ii) $-x + 1, y + \frac{1}{2}, -z + \frac{3}{2}$; (iii) $-x + 1, -y + 2, -z + 1$.

Data collection: *WinAFC* (Rigaku, 1999); cell refinement: *WinAFC*; data reduction: *WinAFC*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *CrystalStructure* (Rigaku, 2010); software used to prepare material for publication: *CrystalStructure*.

We acknowledge the University of Shizuoka for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: ZP2006).

References

- Benaouida, M. A., Chetioui, S. & Bouaoud, S. E. (2013). *Acta Cryst. E69*, o867–o868.
- Khan, K. M., Ambreen, N., Hussain, S., Perveen, S. & Choudhary, M. I. (2009). *Bioorg. Med. Chem.* **17**, 2983–2988.
- Małecka, M. & Budzisz, E. (2006). *Acta Cryst. E62*, o5058–o5060.
- Rigaku (1999). *WinAFC Diffractometer Control Software*. Rigaku Corporation, Tokyo, Japan.
- Rigaku (2010). *CrystalStructure*. Rigaku Corporation, Tokyo, Japan.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Tu, Q. D., Li, D., Sun, Y., Han, X. Y., Yi, F., Sha, Y., Ren, Y. L., Ding, M. W., Feng, L. L. & Wan, J. (2013). *Bioorg. Med. Chem.* **21**, 2826–2831.

supplementary materials

Acta Cryst. (2013). **E69**, o1226 [doi:10.1107/S1600536813018084]

(E)-6,8-Dichloro-3-{{(naphthalen-1-ylmethyl)iminiumyl}methyl}-2H-chromen-4-olate

Yoshinobu Ishikawa and Yuya Motohashi

Comment

Schiff bases of 3-formyl chromones have attracted much attention due to their biological functions such as enzyme inhibition (Khan *et al.* 2009; Tu *et al.* 2013). Here we report the crystal structure of the title compound, which was obtained from the condensation reaction of 6,8-dichloro-3-formylchromone with 1-naphthylmethylamine and successive reduction with 2-picoline borane. The structure shows that the H atom of the –OH group is transferred to the N1 atom of the imine, thus forming a zwitterion. As a result, an intramolecular O···H–N [O2···N1 = 2.795 (2) Å], rather than O–H···N, hydrogen bond is formed. The bond distances O2–C3 [1.245 (3) Å], C3–C2 [1.431 (3) Å], C2–C10 [1.377 (3) Å] and C10–N1 [1.329 (3) Å] and torsion angles O2–C3–C2–C10 [3.2 (3)°] and C3–C2–C10–N1 [–2.4 (3)°] in the six-membered ring indicate charge delocalization among the atoms. This effect might be responsible for the preferential reduction of the α,β -unsaturated carbonyl of the synthetic intermediate, rather than reduction of the imine. The dihedral angle between the naphthalene ring and the benzene part of the 2H-chromen ring is 87.41 (4)°. In the crystal, the molecules are packed through intermolecular N–H···O, as shown in Figure 2, π ··· π , C–Cl··· π , C–H··· π and C–H···O interactions.

Experimental

1-Naphthylmethylamine (5.0 mmol), 6,8-dichloro-3-formylchromone (5.0 mmol) and 2-picoline borane (5.0 mmol) were dissolved in a mixture of MeOH–AcOH (10:1, 60 ml), and stirred overnight at room temperature. Hydrochloric acid (1 M, 20 ml) was added to the reaction mixture, which was then stirred for 30 min. After neutralization with saturated NaHCO₃, the mixture was extracted with methylene chloride. The extract was washed with brine, dried over anhydrous Na₂SO₄ and purified by column chromatography on silica gel (*n*-hexane: ethyl acetate = 9: 1). The eluted fractions were concentrated and filtered off. Layering *n*-hexane on the filtrate gave single crystals suitable for X-ray diffraction (yield 19%).

Refinement

The carbon-bound hydrogen atoms were placed in geometrical positions [C–H 0.95 to 0.99 Å, $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$], and refined using a riding model. The hydrogen atom of the OH group was located near N1 of the imine in a difference Fourier map, and refined with distance constraint [N–H 0.88 Å, $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{N})$].

Computing details

Data collection: *WinAFC* (Rigaku, 1999); cell refinement: *WinAFC* (Rigaku, 1999); data reduction: *WinAFC* (Rigaku, 1999); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *CrystalStructure* (Rigaku, 2010); software used to prepare material for

publication: *CrystalStructure* (Rigaku, 2010).




Figure 1

The molecular structure of the title compound, with displacement ellipsoids drawn at the 50% probability level. Hydrogen atoms are shown as small spheres of arbitrary radius.




Figure 2

A crystal packing view of the title compound. Intra- and intermolecular N–H···O hydrogen bonds are represented as dashed lines.

(E)-6,8-Dichloro-3-[(naphthalen-1-ylmethyl)imino]methyl]-2H-chromen-4-olate*Crystal data*

$C_{21}H_{15}Cl_2NO_2$
 $M_r = 384.26$
 Monoclinic, $P2_1/c$
 Hall symbol: -P 2ybc
 $a = 16.286$ (7) Å
 $b = 8.910$ (6) Å
 $c = 12.008$ (9) Å
 $\beta = 102.65$ (4)°
 $V = 1700.2$ (19) Å³
 $Z = 4$

$F(000) = 792.00$
 $D_x = 1.501$ Mg m⁻³
 Mo $K\alpha$ radiation, $\lambda = 0.71069$ Å
 Cell parameters from 25 reflections
 $\theta = 15.7\text{--}17.5^\circ$
 $\mu = 0.40$ mm⁻¹
 $T = 100$ K
 Block, yellow
 $0.37 \times 0.37 \times 0.28$ mm

Data collection

Rigaku AFC7R
 diffractometer
 ω -2 θ scans
 4657 measured reflections
 3875 independent reflections
 3367 reflections with $F^2 > 2.0\sigma(F^2)$
 $R_{\text{int}} = 0.083$

$\theta_{\text{max}} = 27.6^\circ$
 $h = -20 \rightarrow 21$
 $k = 0 \rightarrow 11$
 $l = -15 \rightarrow 8$
 3 standard reflections every 150 reflections
 intensity decay: -0.4%

Refinement

Refinement on F^2
 $R[F^2 > 2\sigma(F^2)] = 0.033$
 $wR(F^2) = 0.083$
 $S = 1.04$
 3875 reflections
 235 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0433P)^2 + 0.7479P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\text{max}} = 0.001$
 $\Delta\rho_{\text{max}} = 0.49$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.53$ e Å⁻³

Special details

Refinement. Refinement was performed using all reflections. The weighted R -factor (wR) and goodness of fit (S) are based on F^2 . R -factor (gt) are based on F . The threshold expression of $F^2 > 2.0 \sigma(F^2)$ is used only for calculating R -factor (gt).

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl1	0.10099 (2)	0.41074 (4)	0.50407 (3)	0.02134 (10)
Cl2	0.17147 (2)	0.84582 (4)	0.82092 (3)	0.01871 (10)
O1	0.34501 (6)	0.79385 (11)	0.80754 (9)	0.0176 (2)
O2	0.43015 (6)	0.52671 (12)	0.57813 (9)	0.0194 (2)
N1	0.58885 (7)	0.64807 (13)	0.66903 (11)	0.0178 (3)
C1	0.42933 (8)	0.73258 (16)	0.84317 (12)	0.0173 (3)
C2	0.46328 (8)	0.67928 (15)	0.74377 (12)	0.0163 (3)
C3	0.40821 (8)	0.59345 (15)	0.65803 (12)	0.0153 (3)
C4	0.25901 (8)	0.50521 (16)	0.59487 (11)	0.0149 (3)
C5	0.17435 (8)	0.52122 (16)	0.59411 (11)	0.0156 (3)

C6	0.14631 (8)	0.62656 (15)	0.66285 (11)	0.0152 (3)
C7	0.20515 (8)	0.71380 (15)	0.73498 (11)	0.0141 (3)
C8	0.29135 (8)	0.69931 (15)	0.73910 (11)	0.0142 (3)
C9	0.31801 (8)	0.59510 (15)	0.66686 (11)	0.0148 (3)
C10	0.54680 (8)	0.70260 (15)	0.74329 (12)	0.0166 (3)
C11	0.67892 (8)	0.67249 (16)	0.68340 (12)	0.0174 (3)
C12	0.70249 (8)	0.80052 (15)	0.61334 (11)	0.0140 (3)
C13	0.64295 (9)	0.87459 (16)	0.53406 (12)	0.0176 (3)
C14	0.66574 (9)	0.99175 (17)	0.46685 (12)	0.0208 (3)
C15	0.74839 (10)	1.03185 (17)	0.47995 (12)	0.0210 (3)
C16	0.89800 (9)	0.99932 (17)	0.57563 (13)	0.0212 (3)
C17	0.95874 (9)	0.93028 (17)	0.65587 (13)	0.0219 (3)
C18	0.93670 (9)	0.81701 (16)	0.72581 (12)	0.0193 (3)
C19	0.85400 (8)	0.77372 (15)	0.71310 (12)	0.0157 (3)
C20	0.78937 (8)	0.84224 (14)	0.63022 (11)	0.0133 (3)
C21	0.81193 (9)	0.95853 (16)	0.56097 (12)	0.0170 (3)
H1B	0.4283	0.6476	0.8960	0.0207*
H2A	0.4672	0.8106	0.8850	0.0207*
H3	0.2769	0.4334	0.5466	0.0179*
H4	0.0879	0.6382	0.6603	0.0182*
H5	0.5777	0.7643	0.8024	0.0199*
H6	0.5617	0.5962	0.6100	0.0213*
H7A	0.7048	0.5791	0.6626	0.0209*
H8B	0.7033	0.6925	0.7651	0.0209*
H9	0.5855	0.8470	0.5240	0.0211*
H10	0.6236	1.0424	0.4127	0.0249*
H11	0.7633	1.1098	0.4341	0.0252*
H12	0.9135	1.0757	0.5290	0.0255*
H13	1.0160	0.9588	0.6645	0.0263*
H14	0.9791	0.7702	0.7820	0.0231*
H15	0.8400	0.6968	0.7605	0.0188*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cl1	0.01563 (16)	0.0285 (2)	0.01929 (17)	-0.00243 (13)	0.00266 (12)	-0.00941 (13)
Cl2	0.01504 (16)	0.01710 (17)	0.02549 (18)	-0.00033 (12)	0.00772 (12)	-0.00669 (13)
O1	0.0124 (5)	0.0160 (5)	0.0241 (5)	0.0000 (4)	0.0036 (4)	-0.0044 (4)
O2	0.0161 (5)	0.0212 (5)	0.0225 (5)	0.0025 (4)	0.0078 (4)	-0.0020 (4)
N1	0.0120 (6)	0.0189 (6)	0.0228 (6)	-0.0021 (5)	0.0046 (5)	-0.0003 (5)
C1	0.0116 (6)	0.0192 (7)	0.0204 (7)	0.0005 (5)	0.0020 (5)	-0.0002 (6)
C2	0.0139 (6)	0.0148 (7)	0.0210 (7)	0.0018 (5)	0.0053 (5)	0.0031 (6)
C3	0.0138 (6)	0.0135 (6)	0.0197 (7)	0.0027 (5)	0.0061 (5)	0.0043 (5)
C4	0.0160 (6)	0.0162 (6)	0.0134 (6)	0.0024 (5)	0.0048 (5)	0.0004 (5)
C5	0.0155 (7)	0.0170 (7)	0.0141 (6)	-0.0015 (5)	0.0024 (5)	0.0006 (5)
C6	0.0125 (6)	0.0174 (7)	0.0165 (6)	0.0008 (5)	0.0051 (5)	0.0021 (5)
C7	0.0155 (6)	0.0118 (6)	0.0164 (6)	0.0024 (5)	0.0068 (5)	0.0007 (5)
C8	0.0137 (6)	0.0128 (6)	0.0162 (6)	-0.0001 (5)	0.0039 (5)	0.0022 (5)
C9	0.0138 (6)	0.0150 (7)	0.0165 (6)	0.0018 (5)	0.0053 (5)	0.0033 (5)
C10	0.0146 (6)	0.0142 (6)	0.0206 (7)	0.0000 (5)	0.0032 (5)	0.0037 (6)

C11	0.0110 (6)	0.0173 (7)	0.0245 (7)	0.0012 (5)	0.0050 (5)	0.0044 (6)
C12	0.0140 (6)	0.0132 (6)	0.0155 (6)	0.0001 (5)	0.0051 (5)	-0.0018 (5)
C13	0.0162 (7)	0.0183 (7)	0.0177 (7)	0.0011 (5)	0.0021 (5)	-0.0014 (6)
C14	0.0244 (7)	0.0205 (7)	0.0157 (7)	0.0033 (6)	0.0003 (6)	0.0017 (6)
C15	0.0282 (8)	0.0187 (7)	0.0172 (7)	-0.0015 (6)	0.0072 (6)	0.0027 (6)
C16	0.0231 (8)	0.0187 (7)	0.0246 (7)	-0.0042 (6)	0.0110 (6)	0.0001 (6)
C17	0.0153 (7)	0.0224 (8)	0.0298 (8)	-0.0038 (6)	0.0089 (6)	-0.0056 (6)
C18	0.0150 (7)	0.0206 (7)	0.0219 (7)	0.0030 (6)	0.0035 (6)	-0.0033 (6)
C19	0.0161 (6)	0.0143 (6)	0.0173 (7)	0.0004 (5)	0.0050 (5)	-0.0017 (5)
C20	0.0144 (6)	0.0127 (6)	0.0137 (6)	-0.0000 (5)	0.0050 (5)	-0.0029 (5)
C21	0.0199 (7)	0.0157 (7)	0.0169 (7)	-0.0008 (6)	0.0072 (5)	-0.0021 (6)

Geometric parameters (\AA , $^{\circ}$)

Cl1—C5	1.7319 (15)	C15—C21	1.415 (2)
Cl2—C7	1.7313 (17)	C16—C17	1.367 (2)
O1—C1	1.4524 (17)	C16—C21	1.421 (3)
O1—C8	1.3543 (17)	C17—C18	1.409 (3)
O2—C3	1.246 (2)	C18—C19	1.377 (2)
N1—C10	1.330 (3)	C19—C20	1.4185 (19)
N1—C11	1.4554 (19)	C20—C21	1.426 (3)
C1—C2	1.498 (3)	N1—H6	0.880
C2—C3	1.430 (2)	C1—H1B	0.990
C2—C10	1.377 (2)	C1—H2A	0.990
C3—C9	1.496 (2)	C4—H3	0.950
C4—C5	1.384 (2)	C6—H4	0.950
C4—C9	1.3958 (19)	C10—H5	0.950
C5—C6	1.391 (2)	C11—H7A	0.990
C6—C7	1.3817 (19)	C11—H8B	0.990
C7—C8	1.400 (2)	C13—H9	0.950
C8—C9	1.403 (2)	C14—H10	0.950
C11—C12	1.516 (3)	C15—H11	0.950
C12—C13	1.3703 (19)	C16—H12	0.950
C12—C20	1.434 (2)	C17—H13	0.950
C13—C14	1.418 (3)	C18—H14	0.950
C14—C15	1.368 (3)	C19—H15	0.950
Cl2···O1	2.9030 (16)	C2···H9 ^{iv}	3.5215
O1···C3	2.878 (3)	C2···H10 ^{vi}	3.2427
O2···N1	2.7938 (19)	C2···H10 ^{iv}	3.5375
O2···C4	2.844 (2)	C3···H2A ⁱⁱ	3.3458
O2···C10	2.889 (2)	C3···H5 ⁱⁱ	2.9718
N1···C3	2.956 (2)	C3···H10 ^{vi}	3.3648
N1···C13	2.846 (3)	C4···H5 ⁱⁱ	3.4301
C1···C9	2.755 (3)	C4···H7A ⁱⁱⁱ	3.3561
C2···C8	2.794 (3)	C4···H8B ⁱⁱ	3.2427
C4···C7	2.775 (3)	C4···H11 ^{vi}	3.4591
C5···C8	2.780 (3)	C5···H11 ^{vi}	3.4793
C6···C9	2.800 (3)	C5···H15 ⁱⁱ	3.4109
C10···C12	3.370 (3)	C6···H11 ^{vi}	3.1293

C10···C13	3.583 (3)	C6···H12 ^{vi}	3.5089
C11···C19	2.937 (3)	C6···H14 ^{viii}	3.5789
C12···C15	2.810 (3)	C7···H11 ^{vi}	2.7047
C13···C21	2.801 (3)	C8···H7A ^v	3.5798
C14···C20	2.819 (3)	C8···H10 ^{vi}	3.4120
C16···C19	2.792 (3)	C8···H11 ^{vi}	2.6837
C17···C20	2.819 (3)	C9···H5 ⁱⁱ	3.3815
C18···C21	2.806 (3)	C9···H10 ^{vi}	3.5560
C11···Cl2 ⁱ	3.4590 (17)	C9···H11 ^{vi}	3.0717
C11···C18 ⁱⁱ	3.531 (3)	C10···H9 ^{iv}	3.3197
C11···C18 ⁱⁱⁱ	3.372 (3)	C10···H10 ^{iv}	3.0585
C11···C19 ⁱⁱ	3.531 (3)	C11···H3 ⁱⁱⁱ	3.1482
C11···C19 ⁱⁱⁱ	3.298 (3)	C12···H3 ⁱⁱⁱ	2.9038
C11···C20 ⁱⁱⁱ	3.483 (2)	C13···H1B ^v	2.8981
C12···C11 ^{iv}	3.4590 (17)	C13···H1B ⁱ	3.5306
C12···C4 ^{iv}	3.544 (3)	C13···H2A ⁱ	3.4463
C12···C5 ^{iv}	3.478 (3)	C13···H3 ⁱⁱⁱ	3.2759
O1···N1 ^v	3.327 (3)	C13···H5 ⁱ	3.0174
O1···C11 ^v	3.401 (3)	C14···H1B ^v	2.8448
O2···O2 ⁱⁱⁱ	3.285 (3)	C14···H5 ⁱ	3.1497
O2···N1 ⁱⁱⁱ	3.306 (3)	C14···H8B ⁱ	3.0966
O2···C1 ⁱⁱ	3.472 (3)	C15···H8B ⁱ	3.2195
O2···C1 ⁱ	3.542 (3)	C16···H4 ^v	3.3653
O2···C10 ⁱⁱ	3.567 (3)	C16···H13 ^{ix}	3.4908
N1···O1 ⁱⁱ	3.327 (3)	C16···H14 ^x	3.3549
N1···O2 ⁱⁱⁱ	3.306 (3)	C17···H4 ^{xi}	3.3395
C1···O2 ^v	3.472 (3)	C17···H4 ^v	3.1019
C1···O2 ^{iv}	3.542 (3)	C17···H12 ^{ix}	3.3585
C4···Cl2 ⁱ	3.544 (3)	C17···H14 ^x	3.2288
C5···Cl2 ⁱ	3.478 (3)	C18···H4 ^{xi}	3.1738
C5···C19 ⁱⁱ	3.302 (3)	C18···H4 ^v	3.2351
C6···C16 ⁱⁱ	3.558 (3)	C18···H13 ^{xii}	3.4745
C6···C17 ⁱⁱ	3.515 (3)	C20···H3 ⁱⁱⁱ	3.2717
C6···C18 ⁱⁱ	3.466 (3)	H1B···C13 ⁱⁱ	2.8981
C6···C19 ⁱⁱ	3.479 (3)	H1B···C13 ^{iv}	3.5306
C6···C20 ⁱⁱ	3.542 (3)	H1B···C14 ⁱⁱ	2.8448
C6···C21 ⁱⁱ	3.566 (3)	H1B···H9 ⁱⁱ	2.8715
C7···C21 ⁱⁱ	3.399 (3)	H1B···H9 ^{iv}	2.6810
C8···C15 ^{vi}	3.511 (3)	H1B···H10 ⁱⁱ	2.7785
C10···O2 ^v	3.567 (3)	H1B···H10 ^{iv}	3.5696
C10···C13 ^{iv}	3.567 (3)	H2A···O2 ^v	2.5248
C10···C14 ^{iv}	3.418 (3)	H2A···O2 ^{iv}	2.9081
C11···O1 ⁱⁱ	3.401 (3)	H2A···N1 ^v	3.1678
C13···C10 ⁱ	3.567 (3)	H2A···N1 ^{iv}	3.5686
C14···C10 ⁱ	3.418 (3)	H2A···C3 ^v	3.3458
C15···C8 ^{vi}	3.511 (3)	H2A···C13 ^{iv}	3.4463
C16···C6 ^v	3.558 (3)	H2A···H6 ^v	2.5906
C17···C6 ^v	3.515 (3)	H2A···H6 ^{iv}	2.9221
C18···Cl1 ^v	3.531 (3)	H2A···H9 ^{iv}	2.6567

C18···Cl1 ⁱⁱⁱ	3.372 (3)	H3···Cl2 ⁱ	3.4819
C18···C6 ^v	3.466 (3)	H3···C11 ⁱⁱⁱ	3.1482
C19···Cl1 ^v	3.531 (3)	H3···C12 ⁱⁱⁱ	2.9038
C19···Cl1 ⁱⁱⁱ	3.298 (3)	H3···C13 ⁱⁱⁱ	3.2759
C19···C5 ^v	3.302 (3)	H3···C20 ⁱⁱⁱ	3.2717
C19···C6 ^v	3.479 (3)	H3···H5 ⁱⁱ	3.0475
C20···Cl1 ⁱⁱⁱ	3.483 (2)	H3···H6 ⁱⁱⁱ	3.5623
C20···C6 ^v	3.542 (3)	H3···H7A ⁱⁱⁱ	2.5963
C21···C6 ^v	3.566 (3)	H3···H8B ⁱⁱ	3.0827
C21···C7 ^v	3.399 (3)	H3···H9 ⁱⁱⁱ	3.5808
Cl1···H3	2.8044	H4···C11 ^{vii}	3.3003
Cl1···H4	2.8011	H4···C16 ⁱⁱ	3.3653
Cl2···H4	2.8007	H4···C17 ^{viii}	3.3395
O2···H3	2.5793	H4···C17 ⁱⁱ	3.1019
O2···H6	2.1816	H4···C18 ^{viii}	3.1738
N1···H9	2.4771	H4···C18 ⁱⁱ	3.2351
C1···H5	2.5838	H4···H12 ^{vi}	3.4114
C2···H6	2.6121	H4···H13 ^{viii}	3.0915
C3···H1B	2.8456	H4···H13 ⁱⁱ	3.3779
C3···H2A	3.3086	H4···H14 ^{viii}	2.7925
C3···H3	2.6730	H4···H14 ⁱⁱ	3.5715
C3···H5	3.2932	H5···O2 ^v	2.7607
C3···H6	2.6854	H5···C3 ^v	2.9718
C4···H4	3.2775	H5···C4 ^v	3.4301
C6···H3	3.2754	H5···C9 ^v	3.3815
C8···H1B	2.6266	H5···C13 ^{iv}	3.0174
C8···H2A	3.1711	H5···C14 ^{iv}	3.1497
C8···H3	3.2817	H5···H3 ^v	3.0475
C8···H4	3.2853	H5···H9 ^{iv}	2.8161
C9···H1B	2.9757	H5···H10 ^{iv}	3.0576
C10···H1B	2.9791	H6···O1 ⁱⁱ	3.1444
C10···H2A	2.5432	H6···O2 ⁱⁱⁱ	2.5402
C10···H7A	3.1414	H6···C1 ⁱⁱ	3.2859
C10···H8B	2.5054	H6···H2A ⁱⁱ	2.5906
C10···H9	3.1166	H6···H2A ⁱ	2.9221
C11···H5	2.5417	H6···H3 ⁱⁱⁱ	3.5623
C11···H9	2.6689	H6···H6 ⁱⁱⁱ	3.4103
C11···H15	2.5932	H7A···Cl2 ⁱⁱ	2.8708
C12···H5	3.3778	H7A···O1 ⁱⁱ	2.7154
C12···H6	2.9216	H7A···O2 ⁱⁱⁱ	3.3604
C12···H10	3.2782	H7A···C4 ⁱⁱⁱ	3.3561
C12···H15	2.6946	H7A···C8 ⁱⁱ	3.5798
C13···H6	3.0440	H7A···H3 ⁱⁱⁱ	2.5963
C13···H7A	3.1064	H8B···C4 ^v	3.2427
C13···H8B	3.1775	H8B···C14 ^{iv}	3.0966
C13···H11	3.2717	H8B···C15 ^{iv}	3.2195
C15···H9	3.2633	H8B···H3 ^v	3.0827
C15···H12	2.6531	H8B···H10 ^{iv}	3.1963
C16···H11	2.6523	H8B···H11 ^{iv}	3.3862

C16···H14	3.2588	H9···O2 ⁱⁱⁱ	3.5379
C17···H15	3.2725	H9···C1 ⁱ	3.0434
C18···H12	3.2633	H9···C2 ⁱ	3.5215
C19···H7A	2.9380	H9···C10 ⁱ	3.3197
C19···H8B	2.7588	H9···H1B ^v	2.8715
C19···H13	3.2701	H9···H1B ⁱ	2.6810
C20···H7A	2.7891	H9···H2A ⁱ	2.6567
C20···H8B	2.7134	H9···H3 ⁱⁱⁱ	3.5808
C20···H9	3.2869	H9···H5 ⁱ	2.8161
C20···H11	3.3119	H10···O1 ^{vi}	3.1583
C20···H12	3.3119	H10···N1 ⁱ	3.3222
C20···H14	3.2890	H10···C2 ^{vi}	3.2427
C21···H10	3.2781	H10···C2 ⁱ	3.5375
C21···H13	3.2836	H10···C3 ^{vi}	3.3648
C21···H15	3.3029	H10···C8 ^{vi}	3.4120
H1B···H5	3.0755	H10···C9 ^{vi}	3.5560
H2A···H5	2.2747	H10···C10 ⁱ	3.0585
H5···H6	2.7173	H10···H1B ^v	2.7785
H5···H7A	3.3695	H10···H1B ⁱ	3.5696
H5···H8B	2.2788	H10···H5 ⁱ	3.0576
H5···H9	3.4527	H10···H8B ⁱ	3.1963
H6···H7A	2.2832	H11···Cl2 ^v	3.5822
H6···H8B	2.7639	H11···Cl2 ^{vi}	3.4771
H6···H9	2.5271	H11···O1 ^{vi}	3.1669
H7A···H9	3.2912	H11···C4 ^{vi}	3.4591
H7A···H15	2.4895	H11···C5 ^{vi}	3.4793
H8B···H9	3.3945	H11···C6 ^{vi}	3.1293
H8B···H15	2.2403	H11···C7 ^{vi}	2.7047
H9···H10	2.3596	H11···C8 ^{vi}	2.6837
H10···H11	2.3125	H11···C9 ^{vi}	3.0717
H11···H12	2.4808	H11···H8B ⁱ	3.3862
H12···H13	2.3085	H12···Cl2 ^v	3.4716
H13···H14	2.3547	H12···C6 ^{vi}	3.5089
H14···H15	2.3174	H12···C17 ^{ix}	3.3585
Cl1···H4 ^{vii}	3.3003	H12···H4 ^{vi}	3.4114
Cl1···H14 ⁱⁱ	3.3665	H12···H12 ^{ix}	3.3307
Cl1···H15 ⁱⁱ	3.3698	H12···H13 ^{ix}	2.8245
Cl2···H3 ^{iv}	3.4819	H12···H14 ^x	3.0781
Cl2···H7A ^v	2.8708	H13···Cl2 ^{xi}	2.9779
Cl2···H11 ⁱⁱ	3.5822	H13···C16 ^{ix}	3.4908
Cl2···H11 ^{vi}	3.4771	H13···C18 ^x	3.4745
Cl2···H12 ⁱⁱ	3.4716	H13···H4 ^{xi}	3.0915
Cl2···H13 ^{viii}	2.9779	H13···H4 ^v	3.3779
Cl2···H14 ^{viii}	3.1376	H13···H12 ^{ix}	2.8245
Cl2···H15 ^v	3.2700	H13···H14 ^x	2.8458
O1···H6 ^v	3.1444	H13···H15 ^x	3.1438
O1···H7A ^v	2.7154	H14···Cl1 ^v	3.3665
O1···H10 ^{vi}	3.1583	H14···Cl2 ^{xi}	3.1376
O1···H11 ^{vi}	3.1669	H14···C6 ^{xi}	3.5789

O2···H2A ⁱⁱ	2.5248	H14···C16 ^{xii}	3.3549
O2···H2A ⁱ	2.9081	H14···C17 ^{xii}	3.2288
O2···H5 ⁱⁱ	2.7607	H14···H4 ^{xi}	2.7925
O2···H6 ⁱⁱⁱ	2.5402	H14···H4 ^v	3.5715
O2···H7A ⁱⁱⁱ	3.3604	H14···H12 ^{xii}	3.0781
O2···H9 ⁱⁱⁱ	3.5379	H14···H13 ^{xii}	2.8458
N1···H2A ⁱⁱ	3.1678	H15···C11 ^v	3.3698
N1···H2A ⁱ	3.5686	H15···C12 ⁱⁱ	3.2700
N1···H10 ^{iv}	3.3222	H15···C5 ^v	3.4109
C1···H6 ^v	3.2859	H15···H13 ^{xii}	3.1438
C1···H9 ^{iv}	3.0434		
C1—O1—C8	112.82 (12)	C19—C20—C21	118.39 (13)
C10—N1—C11	121.31 (12)	C15—C21—C16	121.33 (15)
O1—C1—C2	112.00 (12)	C15—C21—C20	119.55 (14)
C1—C2—C3	117.41 (13)	C16—C21—C20	119.12 (13)
C1—C2—C10	119.51 (12)	C10—N1—H6	119.342
C3—C2—C10	122.82 (14)	C11—N1—H6	119.346
O2—C3—C2	124.70 (13)	O1—C1—H1B	109.210
O2—C3—C9	120.73 (12)	O1—C1—H2A	109.215
C2—C3—C9	114.49 (13)	C2—C1—H1B	109.214
C5—C4—C9	119.64 (14)	C2—C1—H2A	109.212
C11—C5—C4	119.70 (12)	H1B—C1—H2A	107.905
C11—C5—C6	118.85 (11)	C5—C4—H3	120.177
C4—C5—C6	121.43 (12)	C9—C4—H3	120.180
C5—C6—C7	118.60 (13)	C5—C6—H4	120.699
C12—C7—C6	119.28 (11)	C7—C6—H4	120.701
C12—C7—C8	119.20 (10)	N1—C10—H5	116.499
C6—C7—C8	121.52 (13)	C2—C10—H5	116.493
O1—C8—C7	118.23 (13)	N1—C11—H7A	108.592
O1—C8—C9	122.75 (13)	N1—C11—H8B	108.590
C7—C8—C9	118.88 (12)	C12—C11—H7A	108.590
C3—C9—C4	120.27 (13)	C12—C11—H8B	108.589
C3—C9—C8	119.48 (12)	H7A—C11—H8B	107.556
C4—C9—C8	119.90 (13)	C12—C13—H9	119.454
N1—C10—C2	127.01 (13)	C14—C13—H9	119.453
N1—C11—C12	114.70 (11)	C13—C14—H10	119.980
C11—C12—C13	121.42 (13)	C15—C14—H10	119.986
C11—C12—C20	118.60 (11)	C14—C15—H11	119.628
C13—C12—C20	119.98 (14)	C21—C15—H11	119.617
C12—C13—C14	121.09 (14)	C17—C16—H12	119.532
C13—C14—C15	120.03 (13)	C21—C16—H12	119.524
C14—C15—C21	120.75 (15)	C16—C17—H13	119.901
C17—C16—C21	120.94 (15)	C18—C17—H13	119.892
C16—C17—C18	120.21 (14)	C17—C18—H14	119.822
C17—C18—C19	120.35 (13)	C19—C18—H14	119.826
C18—C19—C20	120.98 (14)	C18—C19—H15	119.511
C12—C20—C19	123.04 (13)	C20—C19—H15	119.512
C12—C20—C21	118.57 (12)		

C1—O1—C8—C7	155.30 (11)	O1—C8—C9—C4	−177.29 (11)
C1—O1—C8—C9	−29.15 (17)	C7—C8—C9—C3	171.33 (11)
C8—O1—C1—C2	52.17 (15)	C7—C8—C9—C4	−1.77 (19)
C8—O1—C1—H1B	−68.9	N1—C11—C12—C13	−6.86 (19)
C8—O1—C1—H2A	173.3	N1—C11—C12—C20	174.05 (11)
C10—N1—C11—C12	−98.17 (16)	H7A—C11—C12—C13	114.8
C10—N1—C11—H7A	140.2	H7A—C11—C12—C20	−64.3
C10—N1—C11—H8B	23.5	H8B—C11—C12—C13	−128.5
C11—N1—C10—C2	−175.34 (12)	H8B—C11—C12—C20	52.4
C11—N1—C10—H5	4.7	C11—C12—C13—C14	−178.41 (12)
H6—N1—C10—C2	4.7	C11—C12—C13—H9	1.6
H6—N1—C10—H5	−175.3	C11—C12—C20—C19	−2.90 (19)
H6—N1—C11—C12	81.8	C11—C12—C20—C21	177.44 (11)
H6—N1—C11—H7A	−39.8	C13—C12—C20—C19	178.00 (12)
H6—N1—C11—H8B	−156.5	C13—C12—C20—C21	−1.66 (19)
O1—C1—C2—C3	−44.51 (16)	C20—C12—C13—C14	0.7 (2)
O1—C1—C2—C10	141.16 (11)	C20—C12—C13—H9	−179.3
H1B—C1—C2—C3	76.6	C12—C13—C14—C15	0.5 (3)
H1B—C1—C2—C10	−97.7	C12—C13—C14—H10	−179.5
H2A—C1—C2—C3	−165.6	H9—C13—C14—C15	−179.5
H2A—C1—C2—C10	20.1	H9—C13—C14—H10	0.5
C1—C2—C3—O2	−171.00 (12)	C13—C14—C15—C21	−0.6 (3)
C1—C2—C3—C9	12.11 (17)	C13—C14—C15—H11	179.4
C1—C2—C10—N1	171.75 (12)	H10—C14—C15—C21	179.4
C1—C2—C10—H5	−8.3	H10—C14—C15—H11	−0.6
C3—C2—C10—N1	−2.3 (3)	C14—C15—C21—C16	−179.85 (13)
C3—C2—C10—H5	177.7	C14—C15—C21—C20	−0.4 (3)
C10—C2—C3—O2	3.1 (3)	H11—C15—C21—C16	0.1
C10—C2—C3—C9	−173.76 (12)	H11—C15—C21—C20	179.6
O2—C3—C9—C4	8.74 (19)	C17—C16—C21—C15	178.49 (13)
O2—C3—C9—C8	−164.33 (12)	C17—C16—C21—C20	−0.9 (3)
C2—C3—C9—C4	−174.23 (11)	C21—C16—C17—C18	−0.1 (3)
C2—C3—C9—C8	12.69 (17)	C21—C16—C17—H13	179.9
C5—C4—C9—C3	−172.09 (11)	H12—C16—C17—C18	179.9
C5—C4—C9—C8	1.0 (2)	H12—C16—C17—H13	−0.1
C9—C4—C5—Cl1	179.53 (11)	H12—C16—C21—C15	−1.5
C9—C4—C5—C6	0.7 (2)	H12—C16—C21—C20	179.1
H3—C4—C5—Cl1	−0.5	C16—C17—C18—C19	0.7 (3)
H3—C4—C5—C6	−179.3	C16—C17—C18—H14	−179.3
H3—C4—C9—C3	7.9	H13—C17—C18—C19	−179.3
H3—C4—C9—C8	−179.0	H13—C17—C18—H14	0.7
Cl1—C5—C6—C7	179.64 (9)	C17—C18—C19—C20	−0.3 (3)
Cl1—C5—C6—H4	−0.4	C17—C18—C19—H15	179.7
C4—C5—C6—C7	−1.6 (2)	H14—C18—C19—C20	179.7
C4—C5—C6—H4	178.4	H14—C18—C19—H15	−0.3
C5—C6—C7—Cl2	179.84 (11)	C18—C19—C20—C12	179.65 (12)
C5—C6—C7—C8	0.70 (19)	C18—C19—C20—C21	−0.7 (2)
H4—C6—C7—Cl2	−0.2	H15—C19—C20—C12	−0.3

H4—C6—C7—C8	—179.3	H15—C19—C20—C21	179.3
Cl2—C7—C8—O1	—2.47 (17)	C12—C20—C21—C15	1.54 (19)
Cl2—C7—C8—C9	—178.20 (8)	C12—C20—C21—C16	—179.02 (11)
C6—C7—C8—O1	176.67 (12)	C19—C20—C21—C15	—178.13 (12)
C6—C7—C8—C9	0.94 (19)	C19—C20—C21—C16	1.30 (19)
O1—C8—C9—C3	—4.19 (19)		

Symmetry codes: (i) $x, -y+3/2, z-1/2$; (ii) $-x+1, y-1/2, -z+3/2$; (iii) $-x+1, -y+1, -z+1$; (iv) $x, -y+3/2, z+1/2$; (v) $-x+1, y+1/2, -z+3/2$; (vi) $-x+1, -y+2, -z+1$; (vii) $-x, -y+1, -z+1$; (viii) $x-1, y, z$; (ix) $-x+2, -y+2, -z+1$; (x) $-x+2, y+1/2, -z+3/2$; (xi) $x+1, y, z$; (xii) $-x+2, y-1/2, -z+3/2$.

Hydrogen-bond geometry (\AA , $^\circ$)

Cg2 is the centroid of the C4—C9 ring.

$D—H\cdots A$	$D—H$	$H\cdots A$	$D\cdots A$	$D—H\cdots A$
N1—H6 \cdots O2	0.88	2.18	2.794 (2)	126
N1—H6 \cdots O2 ⁱⁱⁱ	0.88	2.54	3.306 (3)	146
C1—H2A \cdots O2 ^v	0.99	2.52	3.472 (3)	160
C15—H11 \cdots Cg2 ^{vi}	0.95	2.77	3.682 (3)	160

Symmetry codes: (iii) $-x+1, -y+1, -z+1$; (v) $-x+1, y+1/2, -z+3/2$; (vi) $-x+1, -y+2, -z+1$.